

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

1 Identification

- · Product Identifier
- · Trade name: BLC
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description Beverage System Cleaner
- · Application of the substance / the mixture: Industry Specific Application
- · Details of the Supplier of the Safety Data Sheet:
- Manufacturer/Supplier:

National Chemicals, Inc.

PO Box 506, Lewiston, MN 55952 Ph: 800-533- 0027 / 507-454- 5640 info@NationalChemicals.com

· Emergency telephone number: CHEMTREC 1-800- 424-9300

2 Hazard(s) Identification

· Classification of the substance or mixture:



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements:
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS05

P310

- · Signal word: Danger
- Hazard-determining components of labeling:

Potassium Hydroxide Disodium Metasilicate

· Hazard statements:

H314 Causes severe skin burns and eye damage.

· Precautionary statements:

P102 Keep out of reach of children. P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

snower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P301+P312 IF SWALLOWED: Call Product Safety Department if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P363 Wash contaminated clothing before reuse.

(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade name: BLC

P301+P330+P331 If swallowed: Rinse mouth, Do NOT induce vomiting.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.

· Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme

· NFPA ratings (scale 0 - 4)



Health = 2 Fire = 0Reactivity = 0

HMIS-ratings (scale 0 - 4)



2 Health = 2 Fire = 0

Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

Dangerous Components:		
CAS: 1310-58-3	Potassium Hydroxide	5-10%
RTECS: TT 2102000	♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H302	
CAS: 7320-34-5	Tetrapotassium Pyrophosphate	≤ 2.5%
RTECS: JL6735000	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
CAS: 6834-92-0	Disodium Metasilicate	≤ 2.5%
	♦ Skin Corr. 1B, H314; ♦ STOT SE 3, H335	

· Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures:
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may occur after exposure to dust, fumes or particulates; seek medical attention if feeling unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· After eye contact:

Rinse opened eve for several minutes under running water. Then consult a doctor.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade name: BLC

Rinse opened eye for several minutes under running water.

- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media:
- Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters:
- · Protective equipment:

Mouth respiratory protective device.

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:		
1310-58-3	Potassium Hydroxide	0.18 mg/m3
7320-34-5	Tetrapotassium Pyrophosphate	61 mg/m3
6834-92-0	Disodium Metasilicate	3.8 mg/m3
127087-87-0	Nonylphenol Polyethylene Ethoxylate	30 mg/m3
7758-11-4	Dipotassium Hydrogenorthophosphate	13 mg/m3
PAC-2:		
1310-58-3	Potassium Hydroxide	2 mg/m3
7320-34-5	Tetrapotassium Pyrophosphate	680 mg/m3
6834-92-0	Disodium Metasilicate	42 mg/m3
127087-87-0	Nonylphenol Polyethylene Ethoxylate	330 mg/m3
7758-11-4	Dipotassium Hydrogenorthophosphate	140 mg/m3
PAC-3:		·
1310-58-3	Potassium Hydroxide	54 mg/m3
		(Contd. on page 4



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade name: BLC

7320-34-5	7320-34-5 Tetrapotassium Pyrophosphate	
6834-92-0	Disodium Metasilicate	250 mg/m3
127087-87-0 Nonylphenol Polyethylene Ethoxylate		2,000 mg/m3
7758-11-4	Dipotassium Hydrogenorthophosphate	830 mg/m3

7 Handling and Storage

- · Handling
- · Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities:
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

1310-58-3 Potassium Hydroxide

REL Ceiling limit value: 2 mg/m³ TLV Ceiling limit value: 2 mg/m³

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls:
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade name: BLC

Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves:

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:
Color:
Color:
Colorless
Odorless
Odor threshold:
Not determined.

PH-value:
Not applicable.

· Change in condition

Melting point/Melting range: Not determined. Boiling point/Boiling range: 100 °C (212 °F)

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Not determined.

Vapor pressure @ 20 °C (68 °F): 23 hPa (17 mm Hg)

Density:

Relative density:
Vapor density:
Not determined.
Evaporation rate:
Not determined.

· Solubility in / Miscibility with:

Water: Not miscible or difficult to mix.

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade name: BLC

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

 Organic solvents:
 0.0 %

 Water:
 86.5 %

 Solids content:
 10.4 %

• Other information: No further relevant information available.

10 Stability and Reactivity

- · **Reactivity:** No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: Reacts with strong acids.
- Conditions to avoid: No further relevant information available.
- · Incompatible materials: Acidic Material.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

LD/LC50 values that are relevant for classification:			
1310-58-3 Potassium Hydroxide			
Oral	LD50	273 mg/kg (Rat)	
Inhalative	LC50/96 hours	80 mg/l (Daphnia)	
7320-34-5 Tetrapotassium Pyrophosphate			
Oral	LD50	>2000 mg/kg (Mouse)	
Dermal	LD50	>4640 mg/kg (Rabbit)	
6834-92-0 Disodium Metasilicate			
Oral	LD50	1280 mg/kg (Rat)	
Dulmanny invitant offact			

- · Primary irritant effect:
- On the skin: Strong caustic effect on skin and mucous membranes.
- On the eye:

Strong irritant with the danger of severe eye injury.

Corrosive effect.

Causes serious eye irritation.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade name: BLC

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

2 Ecological Information

· Toxicity:

· Aquatic toxicity:

6834-92-0 Disodium Metasilicate

EC50 247 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

3 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packagings
- Recommendation:

Disposal must be made according to official regulations.

DILUTED product can be disposed of in drain.

Concentrated product should not be allowed down sewers or drains.

4 Transport Information

· UN-Number:

· DOT, ADR, IMDG, IATA UN1814

· UN proper shipping name:

· DOT Potassium hydroxide, solution

· ADR UN1814 Potassium hydroxide, solution

· IMDG, IATA POTASSIUM HYDROXIDE SOLUTION

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade name: BLC

· Transport hazard class(es):

· DOT



· Class: 8 Corrosive substances

· Label:

· ADR



· Class: 8 (C5) Corrosive substances

· Label:

· IMDG, IATA



· Class: 8 Corrosive substances

· Label: 8

· Packing group:

· DOT, ADR, IMDG, IATA

· Environmental hazards: Not applicable.

· Special precautions for user: Warning: Corrosive substances

Danger code (Kemler):
 EMS Number:
 Segregation groups:
 80
 F-A,S-B
 Alkalis

· Stowage Category A

· **Segregation Code** SG35 Stow "separated from" acids.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· Transport/Additional information:

· DOT

• **Quantity limitations:**On passenger aircraft/rail: 1 L
On cargo aircraft only: 30 L

· ADR

· Excepted quantities (EQ): Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· IMDG

Limited quantities (LQ):
 Excepted quantities (EQ):
 Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade name: BLC

· UN "Model Regulation": UN 1814 POTASSIUM HYDROXIDE, SOLUTION, 8, III

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed or exempt from listing.

- · California Proposition 65:
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

New Jersey Right-to-Know List:

1310-58-3 Potassium Hydroxide

· New Jersey Special Hazardous Substance List:

1310-58-3 Potassium Hydroxide

CO, R1

· Pennsylvania Right-to-Know List:

1310-58-3 Potassium Hydroxide

· Pennsylvania Special Hazardous Substance List:

1310-58-3 Potassium Hydroxide

E

- · Carcinogenic categories:
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH):

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:







OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade name: BLC

· Signal word: Danger

Hazard-determining components of labeling:

Potassium Hydroxide Disodium Metasilicate Hazard statements:

H314 Causes severe skin burns and eye damage.

· Precautionary statements:

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P301+P312 IF SWALLOWED: Call Product Safety Department if you feel unwell.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of preparation / last revision: 09/28/2023 / 7
- Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1B: Skin corrosion/irritation – Category 1B





Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade name: BLC

Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3