



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

#### 1 Identification

- · Product Identifier
- · Trade Name: LFD Low Foaming Detergent
- Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Cleaning Compound
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

National Chemicals, Inc.

135 Rice Street

Lewiston, MN 55952

Ph: 800-533- 0027 / 507-454- 5640

info@NationalChemicals.com

· Emergency telephone number: CHEMTREC 1-800-424-9300

#### 2 Hazard(s) Identification

· Classification of the substance or mixture:



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements:
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



GHS07

Signal word: Warning

· Hazard-determining components of labeling:

Glycolic acid

· Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements:

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet). P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

#### Trade Name: LFD Low Foaming Detergent

#### · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values. 0 % of the mixture consists of component(s) of unknown toxicity.

- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*2
Fire = 0

REACTIVITY 0 Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

### 3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:				
	Proprietary  Skin Irrit. 2, H315; Eye Irrit. 2A, H319	5-10%		
CAS: 79-14-1 RTECS: MC 5250000	Glycolic acid  ♦ Skin Corr. 1A, H314; Eye Dam. 1, H318; ♦ Acute Tox. 4, H302	2-12%		
CAS: 67-63-0 RTECS: NT 8050000	Isopropyl alcohol, SEMI Grade ♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2A, H319; STOT SE 3, H336	≤2.5%		

#### · Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

#### 4 First-Aid Measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with soap and water.

If skin irritation occurs, consult a doctor.

· After eve contact:

Rinse opened eye for several minutes under running water.

If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

· After swallowing:

Do not induce vomiting without medical advice.

If swallowed and symptoms occur, consult a doctor.

- · Information for doctor
- Most important symptoms and effects, both acute and delayed: No further relevant information available.

  (Contd. on page 3)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

#### Trade Name: LFD Low Foaming Detergent

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

### 5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- Special hazards arising from the substance or mixture: No further relevant information available.
- · Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

#### 6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures:

Avoid contact with skin, eyes and clothing.

- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1:			
	Proprietary	6.9 mg/m <sup>3</sup>	
79-14-1	Glycolic acid	25 mg/m <sup>3</sup>	
67-63-0	Isopropyl alcohol, SEMI Grade		
PAC-2:			
	Proprietary	76 mg/m <sup>3</sup>	
79-14-1	Glycolic acid 2		
67-63-0	Isopropyl alcohol, SEMI Grade		
PAC-3:			
	Proprietary	460 mg/m <sup>3</sup>	
79-14-1	Glycolic acid	390 mg/m <sup>3</sup>	
67-63-0	Isopropyl alcohol, SEMI Grade	SEMI Grade 12000** ppm	

### 7 Handling and Storage

- · Handling
- · Precautions for safe handling: Avoid contact with skin, eyes and clothing
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.

(Contd. on page 4)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

#### Trade Name: LFD Low Foaming Detergent

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s): No further relevant information available.

#### 8 Exposure Controls/Personal Protection

- Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 67-63-0 Isopropyl alcohol, SEMI Grade

PEL Long-term value: 980 mg/m³, 400 ppm

REL Short-term value: 1225 mg/m³, 500 ppm

Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm

BEI

· Ingredients with biological limit values:

#### 67-63-0 Isopropyl alcohol, SEMI Grade

BEI 40 mg/L

urine

end of shift at end of workweek

Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Select glove material based on penetration times, rates of diffusion and degradation.

#### · Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 5)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade Name: LFD Low Foaming Detergent

· Eye protection:



### 9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:
Color:
Colorless
Odorless
Odor threshold:
Liquid
Colorless
Odorless
Not determined.

· pH-value @ 20 °C (68 °F): 6

· Change in condition

Melting point/Melting range: Not determined. Boiling point/Boiling range: ≥100  $^{\circ}$ C (≥212  $^{\circ}$ F)

· Flash point: None

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: Not applicable
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

**Lower:** Not determined. **Upper:** Not determined.

· *Vapor pressure @ 20 ℃ (68 °F):* ≤23 hPa (≤17.3 mm Hg)

· Density:

Relative density:Not determined.Vapor density:Not determined.Evaporation rate:Not determined.

· Solubility in / Miscibility with:

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

 Water:
 85.0 %

 Solids content:
 5.0 %

(Contd. on page 6)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade Name: LFD Low Foaming Detergent

· Other information: No further relevant information available.

### 10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: Strong acids, strong bases
- Hazardous decomposition products: No dangerous decomposition products known.

### \*11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

Acute toxicity.				
· LD/LC50 values that are relevant for classification:				
Proprietary				
Oral	LD50 Oral	>5,000 ml/kg (Rat) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.		
Dermal	LD50	>2,000 mg/kg (Rabbit)		
79-14-1 Glycolic acid				
Oral	LD50	1,950 mg/kg (Rat)		
67-63-0 Isopropyl alcohol, SEMI Grade				
Oral	LD50	5,045 mg/kg (Rat)		
Dermal	LD50	12,800 mg/kg (Rabbit)		
Inhalative	LC50/4 h	30 mg/l (Rat)		
	LC50/96 hours	9,640 mg/l (Pimephales)		

- · Primary irritant effect:
- · On the skin: No irritating effect.
- · On the eye: Irritating effect.
- · Additional toxicological information:
- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

67-63-0 Isopropyl alcohol, SEMI Grade

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

(Contd. on page 7)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade Name: LFD Low Foaming Detergent

### 12 Ecological Information

· Toxicity:

· Aquatic toxicity:

**Proprietary** 

EC50 >100 mg/l (Daphnia)

67-63-0 Isopropyl alcohol, SEMI Grade

EC50 6,851 mg/l (Green algae)

5,102 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

#### \*13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport Information

· UN-Number:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

UN proper shipping name:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

Environmental hazards: Not applicable.Special precautions for user: Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

• UN "Model Regulation": Non-Regulated Material

(Contd. on page 8)





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

Trade Name: LFD Low Foaming Detergent

### 15 Regulatory Information · Safety, health and environmental regulations/legislation specific for the substance or mixture: · SARA (Superfund Amendments and Reauthorization): · Section 355 (extremely hazardous substances): None of the ingredients are listed. Section 313 (Specific toxic chemical listings): 67-63-0 Isopropyl alcohol, SEMI Grade · TSCA (Toxic Substances Control Act): All ingredients are listed or exempt from listing. · California Proposition 65: · Chemicals known to cause cancer: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients are listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients are listed. · Chemicals known to cause developmental toxicity: None of the ingredients are listed. New Jersey Right-to-Know List: 67-63-0 Isopropyl alcohol, SEMI Grade · New Jersey Special Hazardous Substance List: F3 67-63-0 Isopropyl alcohol, SEMI Grade · Pennsylvania Right-to-Know List: 67-63-0 Isopropyl alcohol, SEMI Grade · Pennsylvania Special Hazardous Substance List: Ε 67-63-0 Isopropyl alcohol, SEMI Grade Carcinogenic categories: · EPA (Environmental Protection Agency): None of the ingredients are listed. · TLV (Threshold Limit Value established by ACGIH): A4 67-63-0 Isopropyl alcohol, SEMI Grade · NIOSH-Ca (National Institute for Occupational Safety and Health):

· GHS label elements

None of the ingredients are listed.

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 09/28/2023

Page 9/10

Trade Name: LFD Low Foaming Detergent

Hazard pictograms:



· Signal word: Warning

· Hazard-determining components of labeling:

Glycolic acid

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements:

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P337+P313 If eye irritation persists: Get medical advice/attention.

National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· Date of preparation / last revision: 9/28/2023 / 3

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value



Page 10/10

Safety Data Sheet (SDS)
OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 09/28/2023 Reviewed on 09/28/2023

#### Trade Name: LFD Low Foaming Detergent

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

BEI: Biological Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3